

	L #	Hits	Search Text	DBs
1	L1	388	324/772.ccls. and current	USPAT; JPO; Derwent
2	L2	1		USPAT
3	L3	1		USPAT
4	L4	201	1 and load\$	USPAT; JPO; Derwent
5	L5	3	4 and 324/126-127.ccls.	USPAT; JPO; Derwent

	Document ID	Issue Date	Title	Current OR	Current XRef
1	US 3624504 A	19711130	METHOD OF AND APPARATUS FOR MEASURING THE DIRECT CURRENT SUPPLIED BY A RECTIFIER ARRANGEME NT FED BY AN ALTERNATOR	324/138	310/68R ; 324/127 ; 324/177 ; 324/772
2	US 4814700 A	19890321	Field current measurement device	324/772	322/99 ; 324/127
3	US 5568059 A	19961022	Current sensor and motor rotation sensor using such current sensor	324/772	324/127 ; 340/648

	Document ID	Title	Current OR
1	JP 06273496 A	METHOD AND APPARATUS FOR MEASURING CONSTANT OF MOTOR	
2	US 4222005 A	Testing device for generator output voltage regulators	324/772
3	US 4356443 A	Detection of arcing faults in polyphase electric machines	324/546
4	US 4727320 A	Method and apparatus for motor size determination	324/772
5	US 4996477 A	Apparatus and method for testing electrically controlled motor	324/772
6	US 5319304 A	Device for monitoring load	324/107
7	US 4749944 A	Load detecting device for generator	324/772
8	US 5051682 A	System for detecting load on generator	322/99
9	US 5187434 A	Apparatus for detecting machining conditions of a workpiece	324/207.25
10	US 5262717 A	Method and apparatus for measuring electric motor efficiency and loading	324/772
11	US 5477162 A	Method for determining the short-circuit inductance of an asynchronous machine	324/772
12	US 5514978 A	Stator turn fault detector for AC motor	324/772
13	US 5568033 A	On-site electric motor start-up diagnostic tool	318/778
14	US 5578937 A	Instrument for analysis of electric motors based on slip-poles component	324/772

	Current XRef
1	324/772
2	324/416
3	324/520 ; 324/522 ; 324/772 ; 340/651 ; 361/31
4	324/545
5	318/490 ; 324/73.1
6	324/110 ; 324/772
7	322/27 ; 322/99
8	322/38 ; 324/772 ; 327/306
9	116/71 ; 324/262 ; 324/772 ; 340/682 ; 702/35 ; 702/75 ; 73/593 ; 73/660
10	73/862.336
11	
12	318/690 ; 324/545 ; 340/648 ; 702/106 ; 702/58
13	318/479 ; 318/490 ; 324/772 ; 340/648 ; 361/23 ; 388/903 .
14	318/245 ; 318/490